Neuroscience Letters, 90 (1988) 358–361
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abrous, N., see Herman, J.P., 83
Albanese, A., see Willoughby, J., 100
Aloisi, A.M., Carli, G. and Rossi, A., Response of hip joint afferent fibers to pressure and vibration in the cat, 130
Andiné, P., Lehmann, A., Ellrén, K., Wennberg, E., Kjellmer, I., Nielsen, T. and Hagberg, H., The excitatory amino acid antagonist kynurenic acid administered after hypoxic-ischemia in neonatal rats offers neuroprotection, 208
Anglister, L., see Inestrosa, N.C., 186
Aquilonius, S.-M., see Gillberg, P.-G., 197
Ashwell, K., see Tout, S., 241
Atwood, H.L., see Wojtowicz, J.M., 152

Banno, Y., see Nishida, A., 354
Barneoud, P., Neveu, P.J., Vitiello, S. and Le Moal, M., Early effects of right or left cerebral cortex ablation on mitogen-induced spleen lymphocyte DNA synthesis, 302
Barochovsky, O., Docherty, M. and Bradford, H.F., Membrane-bound choline acetyltransferase is a cell surface marker of the differentiated NS-20Y cholinergic cell line, 320
Ben-Ari, Y. and Cherubini, E., Brief anoxic episodes induce long-lasting changes in synaptic changes in synaptic properties of rat CA3 hippocampal neurons, 273
Bhave, S.V., Malhotra, R.K., Wakade, T.D. and Wakade, A.R., Formation of inositol trisphosphate by muscarinic agents does not stimulate transmitter release in cultured sympathetic neurons, 234
Biesold, D., see Schwab, C., 69
Biswas, S., see Eckland, D.J.A., 292
Bouras, C., see Vallet, P.G., 78
Bradford, H.F., see Barochovsky, O., 320
Bridges, A.J. and Ho, A.K.S., Calmodulin content in human prolactin-secreting pituitary adenoma: an inverse relationship to serum prolactin levels, 224
Brückner, G., see Schwab, C., 69
Buéno, L., see Fargeas, M.J., 297
Bunn, S.J., see Marley, P.D., 343

Cahusac, P.M.B. and Miyashita, Y., Hippocampal activity related to the processing of single sensory–motor associations, 265
Cameron, D.L. and Crocker, A.D., Alkylation of striatal dopamine receptors abolishes stereotyped behavior but no effect on dopamine stimulated adenylate cyclase activity, 165
Carli, G., see Aloisi, A.M., 130
Carlton, S.M., see Chung, K., 27
Chan, J.Y.H., see Lin, K.S., 172
Chan, S.H.H. see Lin, K.S., 172
Chan-Palay, V., see Köhler, C., 51
Charnay, Y., see Vallet, P.G., 78
Cherubini, E., see Ben-Ari, Y., 273
Chung, K., Lee, W.T. and Carlton, S.M., The effects of dorsal rhizotomy and spinal cord isolation on calcitonin gene-related peptide-labeled terminals in the rat lumbar dorsal horn, 27
Cole, A.A., see McNulty, J.A., 254
Constantinidis, J., see Vallet, P.G., 78
Crespi, F., Martin, K.F. and Marsden, C.A., Simultaneous in vivo voltammetric measurement of striatal extracellular DOPAC and 5-HIAA levels: effect of electrical stimulation of DA and 5-HT neuronal pathways, 285
Crocker, A.D., see Cameron, D.L., 165

Daniels, A.J., see Reinhard Jr., J.F., 349
Danielsson, Å., Helström, S., Henriksson, R. and Sundström, S., Non-specific secretory supersensitivity in rat parotid gland following neonatal sympathetic denervation, 328
D'Argy, R., see Gillberg, P.-G., 197
Dieringer, N., see Ripoult-Pedotti, M.-S., 135
Docherty, M., see Barochovsky, O., 320

Eckland, D.J.A., Todd, K., Jessop, D.S., Biswas, S. and Lightman, S.L., Differential effects of hypothalamic catecholamine depletion on the release of arginine vasopressin and CRF-41 into hypothalamo-hypophyseal portal blood, 292
Edström, A. and Kanje, M., Regeneration in vitro of the adult frog sciatic nerve, 113
Eide, P.K. and Hole, K., Intrathecal substance P modulates the depressant effect of 5-methoxy-*N*, *N*-dimethyltryptamine on a reflex response to radiant heat in mice, 203
Ellrén, K., see Andiné, P., 208
Endo, T., see Endo, Y., 11
Endo, Y. and Endo, T., Immunohistochemical demonstration of S-100 protein in the brain neurosecretory cells of invertebrates (insects and earthworms), 11

0304-3940/88/$ 03.50 © 1988 Elsevier Scientific Publishers Ireland Ltd.

Fadić, R., Soza, M.A. and Inestrosa, N.C., Changes in contralateral synaptic acetylcholinesterase following motor nerve section in rats, 229
Fargeas, M.J., Fioramonti, J. and Buéno, L., Involvement of central noradrinergic pathways in the control of intestinal motility in rats, 297
Fields, H.L., see Hentall, I.D., 141
Fink, T. and Weihe, E., Multiple neuropeptides in nerves supplying mammalian lymph nodes: messenger candidates for sensory and autonomic neuroimmunomodulation?, 39
Fioramonti, J., see Fargeas, M.J., 297
Foiani, M., see Presta, M., 308
Fox, L.M., see McNulty, J.A., 254
Fuchs, K., Möller, H. and Sieghart, W., Various proteins from rat brain, specifically and irreversibly labeled by [^{3}H]flunitrazepam, are distinct α-subunits of the GABA–benzodiazepine receptor complex, 314
Fuentes, M.-E., see Inestrosa, N.C., 186
Fujitake, J., see Mori, S., 57
Futerman, A.H., see Inestrosa, N.C., 186

Gillberg, P.-G., D'Argy, R. and Aquilonius, S.-M., Autoradiographic distribution of [^{3}H]acetylcholine binding sites in the cervical spinal cord of man and some other species, 197
Glover, V., see Willoughby, J., 100
Goodwin, G.S., see Reep, R.L., 15

Hagberg, H., see Andiné, P., 208
Hatanaka, H., Nihonmatsu, I. and Tsukui, H., Nerve growth factor promotes survival of cultured magnocellular cholinergic neurons from nucleus basalis of Meynert in postnatal rats, 63
Hellström, S., see Danielsson, Å., 328
Henriksson, R., see Danielsson, Å., 328
Hentall, I.D. and Fields, H.L., How two sites in the rat's nucleus raphe magnus interact to inhibit the tail-flick reflex, 141
Herman, J.P., Rivet, J.M., Abrous, N. and Le Moal, M., Intracerebral dopaminergic transplants are not activated by electrical footshock stress activating in situ mesocorticolimbic neurons, 83
Ho, A.K.S., see Bridges, A.J., 224
Hole, K., see Eide, P.K., 203

Inestrosa, N.C., Fuentes, M.-E., Anglister, L., Futerman, A.H. and Silman, I., A membrane-associated dimer of acetylcholinesterase from *Xenopus* skeletal muscle is solubilized by phosphatidylinositol-specific phospholipase C, 186
Inestrosa, N.C., see Fadić, R., 229
Ino, T., Itoh, K., Sugimoto, T., Kaneko, T., Kamiya, H. and Mizuno, N., The supramammilary region of the cat sends substance P-like immunoreactive axons to the hippocampal formation and the entorhinal cortex, 259
Isa, T., Itouji, T. and Sasaki, S., Excitatory pathways from Forel's field H to head elevator motoneurones in the cat, 89
Isa, T., Itouji, T., Nakao, S. and Sasaki, S., Subtypes of neurones in Forel's field H as defined by their axonal projection, 95
Ito, I., Okada, D. and Sugiyama, H., Pertussis toxin suppresses long-term potentiation of hippocampal mossy fiber synapses, 181
Itoh, K., see Ino, T., 259
Itouji, T., see Isa, T., 89
Itouji, T., see Isa, T., 95

Jenner, P., see Willoughby, J., 100
Jessop, D.S., see Eckland, D.J.A., 292
Joseph-Silverstein, J., see Presta, M., 308

Kaiya, H., see Nishida, A., 354
Kamiya, H., see Ino, T., 259
Kaneko, T., see Ino, T., 259
Kanje, M., see Edström, A., 113
Kjellmar, I., see Andiné, P., 208
Klaassen, A.B.M., see Van Megen, Y.J.B., 75
Köhler, C. and Chan-Palay, V., Cholecystokinin-octapeptide (CCK-8) receptors in the hippocampal region: a comparative in vitro autoradiographic study in the rat, monkey and the post-mortem human brain, 51
Kolasiewicz, W., Wolfarth, S. and Ossowska, K., The role of the ventromedial thalamic nucleus in the catalepsy evoked from the substantia nigra pars reticulata in rats, 219
Kostović, I., Skavić, J. and Strinović, D., Acetylcholinesterase in the human frontal associative cortex during the period of cognitive development: early laminar shifts and late innervation of pyramidal neurons, 107
Kraig, R.P., Acid-induced injury in elasmobranch brain, 119
Krůšek, J., Vyklický Jr., L., Vyklický, L. and Vlachová, V., Glutamine-induced membrane currents in cultured chick spinal cord neurons, 333
Kuno, S., see Mori, S., 57

Lacey, G. and Nistri, A., Changes in glutamate-evoked currents of frog motoneurones by extracellular Mg^{2+}, 213
Lagercrantz, H., see Srinivasan, M., 159

Lee, W.T., see Chung, K., 27
Lehmann, A., see Andiné, P., 208
Le Moal, M., see Barneoud, p., 302
Le Moal, M., see Herman, J.P., 83
Lightman, S.L., see Eckland, D.J.A., 292
Lin, K.S., Chan, J.Y.H. and Chan, S.H.H., Reduction in baroreceptor reflex response by angiotensin III and its modification by Ile^7-angiotensin III and bestatin in the rat, 172
Loirat, M.-J., see Lucas-Heron, B., 147
Lucas-Heron, B., Loirat, M.-J. and Olliver, B., Severe mitochondrial anomaly in dystrophic mouse skeletal muscle, 147

Maier, J.A.M., see Presta, M., 308
Majewska, M.D., Mienville, J.-M. and Vicini, S., Neurosteroid pregnenolone sulfate antagonizes electrophysiological responses to GABA in neurons, 279
Malhotra, R.K., see Bhave, S.V., 234
Mares, V., see Schwab, C., 69
Marley, P.D. and Bunn, S.J., Lack of effect of opioid compounds on angiotensin II responses of bovine adrenal medullary cells, 343
Marsden, C.A., see Crespi, F., 285
Marsden, C.D., see Willoughby, J., 100
Martin, K.F., see Crespi, F., 285
Matsumoto, S., The activities of lung stretch and irritant receptors during cough, 125
McNulty, J.A., Cole, A.A. and Fox, L.M., Day–night variability in acid phosphatase activity of pineal gland macrophages, 254
Mezey, É., see Rökaeus, A., 45
Mienville, J.-M., see Majewska, M.D., 279
Miyashita, Y., see Cahusac, P.M.B., 265
Mizuno, N., see Ino, T., 259
Möller, H., see Fuchs, K., 314
Mori, S., Fujitake, J., Kuno, S. and Sano, Y., Immunohistochemical evaluation of the neurotoxic effects of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) on dopaminergic nigrostriatal neurons of young adult mice using dopamine and tyrosine hydroxylase antibodies, 57
Morrow, C., see Pearce, B., 191
Murphy, S., see Pearce, B., 191

Nakao, S., see Isa, T., 95
Nakazato, Y., see Yamada, Y., 338
Neveu, P.J., see Barneoud, P., 302
Nielsen, T., see Andiné, P., 208
Nihonmatsu, I., see Hatanaka, H., 63
Nishida, A., Kaiya, H., Tohmatsu, T., Banno, Y., Wakabayashi, S. and Nozawa, Y., Regional distribution of phosphoinositide-specific phospholipase C activity in rat brain, 354
Nistri, A., see Lacey, G., 213
Nozawa, Y., see Nishida, A., 354

Ohga, A., see Yamada, Y., 338
Okada, D., see Ito, I., 181
Ollivier, B., see Lucas-Heron, B., 147
Ossowska, K., see Kolasiewicz, W., 219

Parnas, H., see Wojtowicz, J.M., 152
Parnas, I., see Wojtowicz, J.M., 152
Pearce, B., Morrow, C. and Murphy, S., A role for protein kinase C in astrocyte glycogen metabolism, 191
Persinger, M.A., see Venugopal, M., 177
Pertovaara, A., Collateral sprouting of nociceptive C-fibers after cut or capsaicin treatment of the sciatic nerve in adult rats, 248
Presta, M., Foiani, M., Rusnati, M., Joseph-Silverstein, J., Maier, J.A.M. and Ragnotti, G., High molecular weight immunoreactive basic fibroblast growth factor-like proteins in rat pituitary and brain, 308

Ragnotti, G., see Presta, M., 308
Reep, R.L. and Goodwin, G.S., Layer VII of rodent cerebral cortex, 15
Reinhard Jr., J.F., Daniels, A.J. and Viveros, O.H., Potentiation by reserpine and tetrabenazine of brain catecholamine depletions by MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine) in the mouse: evidence for subcellular sequestration as basis for cellular resistance to the toxicant, 349
Rioult-Pedotti, M.-S. and Dieringer, N., The cervico-ocular reflex in intact and chronically labyrinthectomized frogs, 135
Rivet, J.M., see Herman, J.P., 83
Rodrigues de Miranda, J.F., see Van Megen, Y.J.B., 75
Roisen, F.J., see Spoerri, P.E., 21
Rökaeus, A., Young III, W.S. and Mezey, É., Galanin coexists with vasopressin in the normal rat hypothalamus and galanin's synthesis is increased in the Brattleboro (diabetes insipidus) rat, 45
Rossi, A., see Aloisi, A.M., 130
Rusnati, M., see Presta, M., 308

Sandler, M., see Willoughby, J., 100
Sano, Y., see Mori, S., 57
Sasaki, S., see Isa, T., 89
Sasaki, S., see Isa, T., 95
Schwab, C., Brückner, G., Mares, V. and Biesold,

D., A combined method of acetylcholinesterase histochemistry and [^{3}H]thymidine autoradiography: application to neurogenesis of the rat basal forebrain cholinergic system, 69
Segade, L.A.G. and Suarez-Quintanilla, D., Otic ganglion parasympathetic neurons innervate the pulp of the mandibular incisor of the guinea pig, 33
Shibata, H., A direct projection from the entorhinal cortex to the mammilary nuclei in the rat, 6
Sieghart, W., see Fuchs, K., 314
Silman, I., see Inestrosa, N.C., 186
Skavić, J., see Kostović, I., 107
Soza, M.A., see Fadić, R., 229
Spoerri, P.E. and Roisen, F.J., Ganglioside potentiation of NGF-independent trophic agents on sensory ganglia, 21
Srinivasan, M., Yamamoto, Y. and Lagercrantz, H., Ventilatory effects of naloxone via the synaptoadrenal system in the neonate?, 159
Stone, J., see Tout, S., 241
Strinović, D., see Kostović, I., 107
Suarez-Quintanilla, D., see Segada, L.A.G., 33
Sugimoto, T., see Ino, T., 259
Sugiyama, H., see Ito, I., 181
Sundström, S., see Danielson, Å., 328

Tayo, E.K. and Williams, R.G., Catecholaminergic parasympathetic efferents within the dorsal motor nucleus of the vagus in the rat: a quantitative analysis, 1
Teraoka, H., see Yamada, Y., 338
Todd, K., see Eckland, D.J.A., 292
Tohmatsu, T., see Nishida, A.,, 354
Tout, S., Ashwell, K. and Stone, J., The development of astrocytes in the albino rabbit retina and their relationship to retinal vasculature, 241
Tsukui, H., see Hatanaka, H., 63

Vallet, P.G., Charnay, Y., Bouras, C. and Constantinidis, J., Distribution and colocalization of delta sleep inducing peptide (DSIP) with corticotropin-like intermediate lobe peptide (CLIP) in the human hypophysis, 78
Van den Broek, P., see Van Megen, Y.J.B., 75
Van Ginneken, C.A.M., see Van Megen, Y.J.B., 75
Van Megen, Y.J.B., Van Ratingen, C.J.B.M., Klaassen, A.B.M., Rodrigues de Miranda, J.F., Van Ginneken, C.A.M. and Van den Broek, P., Demonstration of β-adrenergic receptors in rat nasal glands by an in vitro autoradiographic technique, 75
Van Ratingen, C.J.B.M., see Van Megen, Y.J.B., 75
Venugopal, M. and Persinger, M.A., Conditioned taste aversion is reduced in rats with a history of lithium/pilocarpine-induced limbic seizures, 177
Vicine, S., see Majewska, M.D., 279
Vitiello, S., see Barneoud, P., 302
Viveros, O.H., see Reinhard Jr., J.F., 349
Vlachová, V., see Krůšek, J., 333
Vyklický Jr., L., see Krůšek, J., 333
Vyklický, L., see Krůšek, J., 333

Wakabayashi, S., see Nishida, A., 354
Wakade, A.R., see Bhave, S.V., 234
Wakade, T.D., see Bhave, S.V., 234
Weihe, E., see Fink, T., 39
Wennberg, E., see Andiné, P., 208
Williams, R.G., see Tayo, E.K., 1
Willoughby, J., Glover, V., Sandler, M., Albanese, A., Jenner, P. and Marsden, C.D., Monoamine oxidase activity and distribution in marmoset brain: implications from MPTP toxicity, 100
Wojtowicz, J.M., Parnas, I., Parnas, H. and Atwood, H.L., Long-term facilitation of synaptic transmission demonstrated with macro-patch recording at the crayfish neuromuscular junction, 152
Wolfarth, S., see Kolasiewicz, W., 219

Yamada, Y., Teraoka, H., Nakazato, Y. and Ohga, A., Intracellular Ca^{2+} antagonist TMB-8 blocks catecholamine secretion evoked by caffeine and acetylcholine from perfused cat adrenal glands in the absence of extracellular Ca^{2+}, 338
Yamamoto, Y., see Srinivasan, M., 159
Young III, W.S., see Rökaeus, A., 45